

Analytica Laboratories Limited Ruakura Research Centre 10 Bisley Road Hamilton 3214, New Zealand Ph +64 (07) 974 4740 sales@analytica.co.nz www.analytica.co.nz

Certificate of Analysis

Savage Horticulture Ltd

557 Bushmere Rd, RD1

Gisborne 4071

Attention: Bill Savage Phone: 021 963 461

Email: thesavages@xtra.co.nz

Lab Reference: 19-27110

Submitted by:

Date Received: 12/08/2019 Date Completed: 14/08/2019

Order Number: Reference:

Report Comments

Samples were collected by yourselves (or your agent) and analysed as received at Analytica Laboratories. Samples were in acceptable condition unless otherwise noted on this report.

Results Summary

3in1

| Laboratory ID | Sample ID | Dihydroxyacetone (DHA) | Methylglyoxal (MG) | Non-Peroxide Activity* (NPA) | Hydroxymethylfurfural (HMF) |
|--------------------------|-----------|---------------------------|-----------------------|------------------------------|-----------------------------|
| Units Reporting Limit | | mg/kg 40 | mg/kg 8 | %w/v phenol eq. 1.3 | mg/kg 1 |
| 19-27110-1 | 190806 | 456 | 130 | 6.6 | 7 |

3in1 Approver:

Hannah Crossan, M.Sc (Hons)

Technician

Leptosperin

| Laboratory ID | Sample ID | Leptosperin | |
|---------------|--------------------------|-------------|--|
| | Units Reporting Limit | mg/kg 20 | |
| 19-27110-1 | 190806 | 292 | |

Leptosperin Approver:

Hannah Crossan, M.Sc (Hons)

Technician

Method Summary

3in1

Determination of Dihydroxyacetone (DHA), Methylglyoxal (MG) and Hydroxymethylfurfural (HMF) by aqueous extraction, derivatisation, and UPLC analysis.



Method Summary

NPA

Non-Peroxide Activity (NPA) values are not directly measured by the laboratory, but are calculated from the measured methylglyoxal concentration in the honey according to the requirements of the client. The calculation is based on published data(†) comparing the NPA and methylglyoxal concentration measured in a range of honey samples. These calculated values are not accredited by IANZ and do not imply that the honey is or is not manuka honey.

NPA values less than 5 are an estimate based on extrapolation of the relationship between methylglyoxal and NPA

(†) Isolation by HPLC and characterisation of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey. C. J. Adams, et al. Carbohydrate Research 343 (2008) 651-659. And, Corrigendum to "Isolation by HPLC and characterization of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey" [Carbohydr. Res. 343 (2008) 651]. Carbohydrate Research 344 (2009) 2609. C. J. Adams, et al.

Leptosperin

Aqueous extraction, dilution, analysis by UPLC.